

Accessory List Telematic Products

Telic Picotrack Accessories

Product	Picture	Description	Part Number	Picotrack 4G
USB-A _ Micro USB-B Cable		For use with cigarette lighter charger or to charge with laptop; Cable length: 1 m	17005	•
USB Power Supply		USB power adapter without connection cable for Telic's telematics products	17003	•
Picotrack Cigarette Lighter Charger		Without USB Cable; Requires micro USB-A cable (Part Number 17005)	17004	•
Picotrack Car Installation Cable		Cable with open wires and Micro-USB connector; Voltage range 9 - 32 Volt; Cable length: 1 m	17000	•
Picotrack Case		IP69K Enclosure for Picotrack Power	17014	•
Magnetic Plate for Picotrack Case		Magnetic Plates for Picotrack Case	17015	•
Config-Tool Cable for Picotrack		Device specific cable for configuration of Picotrack / Picotrack Power devices	16207	•

Accessory List Telematic Products

Telic Picotrack Endurance Accessories

Product	Picture	Description	Part Number	Picotrack Endurance Re-chargeable	Picotrack Endurance Primary	Picotrack Endurance Solar
USB-A _ Micro USB-B Cable		For use with cigarette lighter charger or to charge with laptop; Cable length: 1 m	17005	•		
USB Power Supply		USB power adapter without connection cable for Telic's telematics products	17003	•		
Picotrack Cigarette Lighter Charger		Without USB Cable; Requires micro USB-A cable (Part Number 17005)	17004	•		
Endurance Primary Cell		Replacement 12,6 Ah primary cell for Picotrack Endurance Primary	16020		•	
Charging cable for Endurance Rechargeable		Charging cable for Picotrack Endurance Rechargeable; Cable length: 2 m	17013	•		
Charging cable for Endurance Solar		Charging cable for Picotrack Endurance Solar; Cable length: 2 m	17031			•
Config-Tool Cable for Picotrack Rechargeable		Device specific cable for configuration of Picotrack Endurance Rechargeable	16211	•		
Config-Tool Cable for Picotrack Primary+Solar		Device specific cable for configuration of Picotrack Endurance Primary or Solar	16210		•	•



Accessory List Telematic Products

Telic SBC Accessories

Product	Picture	Description	Part Number	SBC3 CAN 4G	SBC AVL 4G
SBC3 Connection Cable (7-wires)		2 of these cables for SBC3-CAN version Cable length: 1 m	16300	•	
SBC-AVL Cigarette Lighter Charger		Specifically designed for SBC-AVL; Cable length: 1,35 m	17024		•
SBC-AVL Connection Cable		Open wire device-specific connection cable; 10 wires; Cable length: 1 m	16301		•
OBD II Power Supply Cable		2-pin OBD-II connector cable for power supply only; Cable length: 1 m	17023		•
1-wire Temperature Sensor		1-wire Temperature sensor; Cable length: 7 m; Temperature range: -55 °C to +125 °C; Accuracy: ± 0,5°C (in range -10 °C to +85 °C)	90029	•	•
Config-Tool Cable for SBC3 CAN		Device specific cable for configuration of the SBC3 CAN	16214	•	

Accessory List Telematic Products

Telic Antenna Accessories

Product	Picture	Description	Part Number
Roof antenna		To screw on top of a roof; Cable length: 2 m	12016
Combo Antenna		Glue antenna cable to fix to window / dashboard inside a vehicle; Cable length: 3 m	12019