

Accessories for Telemetry Products

Product	Picture	Short summary	Part Number
Magnetic antenna		Magnetic antenna FME female connector, 3m cable Frequencies: 850, 900, 1800, 1900, 2100 MHz Dimensions: 72 mm x 31 mm	12021
Rectangular antenna		Rectangular antenna FME female connector Frequencies: 850, 900, 1800, 1900, 2100 MHz Dimensions: 53mm x 6,7 - 9,65mm	12016
Stub antenna		Stub antenna FME female connector Frequencies: 850, 900, 1800, 1900, 2100 MHz Dimensions: 61mm x 6,7 - 9,65mm	12019
Roof antenna		Roof antenna GSM FME female connector Waterproof, 2,5m cable Frequencies: 850, 900, 1800, 1900, 2100 MHz Dimensions (after mounting): 77mm x 15mm	12006
Patch antenna		Patch antenna FME female connector 3m cable Frequencies: 850, 900, 1800, 1900, 2100 MHz Dimensions: 6.7mm x 116mm x 22mm	12020
Magnetic antenna LTE		FME female connector 3m Frequencies: 698-960 MHz, 1710-2170 MHz, 2500-2700 MHz Dimensions: 31 x 72 mm	74672
Rectangular antenna LTE		FME female connector Frequencies: 824~894/1710~2690MHz Dimensions: 9 x 61 mm	74673
Stub antenna LTE		FME-female connector Frequencies: 824~894/1710~2690MHz Dimensions: 18 x 55,5 mm	74705






Accessories for Telemetry Products

Power Supply, Cables & Adapters

Product	Picture	Short summary	Part Number
DIN Rail Mounting Bracket Rectangular		DIN Rail adapter (rectangular)	12304
DIN Rail Mounting Bracket Straight		DIN Rail adapter (straight)	12305
Terminal Power Supply		Power supply 6pin Mini Western-Plug, Input 100- 240V AC Output 12V DC, 1,5A Length: 1500±50mm	12002
Terminal Power Cable		Power cable Length: 1500 ± 30	12003
RS232 Cable		RS232 cable, 9-pin Sub-D-connector, male/female Length: 2m	12004
Mini USB to USB-A Cable		USB cable for terminals: - for I/O Connection (GT864 PY) - for Audio Connection (GT864 Quad) Length: 600±20mm	12301

Accessories for Telemetry Products

Power Supply, Cables, Adapters & Antenna for Telematics

Product	Picture	Short summary	Part Number
SBC-3 Connection Cable (7-wires)		2 of this cables for SBC3-CAN version	16300
SBC-AVL Cigarette Lighter Charger		Specifically designed for SBC-AVL	17024
SBC-AVL Connection Cable		Open wire device-specific connection cable 10 wires	16301
OBD II Power Supply Cable		2-pin OBD-II connector cable for power supply only	17023
OBD-II CAN Connection Cable		4-pin OBD-II connector cable for power supply + CAN High/Low	17027
Combo Antenna (GSM/GRPS)		Glue antenna cable to fix to window/dashboard inside a vehicle	16004